This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020).

SAFETY DATA SHEET



	3312947 v1.0L 95152 v4.0
RE 68	JSTRALIA 3 (Hygiene Home) Australia Pty Ltd 0 George St , Sydney, NSW 2000 I: +61 (0)2 9857 2000
RE 2 I Au	EW ZEALAND 8 (Hygiene Home) New Zealand Limited Fred Thomas Drive, Takapuna Ickland , New Zealand 0622 II: +64 9 484 1400
	istralia - 13 11 26 w Zealand - 0800 764 766 or 0800 POISON
es roductuse : Air	care. instant action (aerosol spravs)
upplier : AL RE 68 Te 21 AL 25	JSTRALIA 3 (Hygiene Home) Australia Pty Ltd 0 George St , Sydney, NSW 2000 4: +61 (0)2 9857 2000 EW ZEALAND 3 (Hygiene Home) New Zealand Limited Fred Thomas Drive, Takapuna tickland , New Zealand 0622 4: +64 9 484 1400 tistralia - 13 11 26

2. Hazard identification **Classification of the** : AEROSOLS - Category 1 substance or mixture **GHS label elements Hazard pictograms** ŝ : DANGER Signal word **Hazard statements** : Extremely flammable aerosol. Pressurised container, may burst if heated. **Precautionary statements** General : Keep out of reach of children. If medical advice is needed, have product container or label at hand. Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Frevention	No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Response	: Not applicable.
Storage	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Disposal	: Not applicable.

recki

3. Composition/information on ingredients

: Mixture

Substance/mixture

Ingredient name	% (w/w)	CAS number
n-butane	≥10 - ≤30	106-97-8
propane	≤10	74-98-6
Isobutane	≤10	75-28-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%. Occupational exposure limits, if available, are listed in Section 8.

4. First-aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms/effects, acute and delayed

moot important of mpte	
Potential acute health	<u>effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/</u>	symptoms
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	e medical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments	: No specific treatment.
---------------------	--------------------------

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable to

See toxicological information (Section 11)

5. Fire-fighting measures

: Use an extinguishing agent suitable for the surrounding fire.
: None known.
: Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.
: Decomposition products may include the following materials: carbon dioxide carbon monoxide
: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
: Not applicable

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Date of issue	: 01/03/2023	Page: 3/10
Large spill	: Stop leak if without risk. Move containers from spill area. Use spexplosion-proof equipment. Approach the release from upwind. sewers, water courses, basements or confined areas. Wash spill effluent treatment plant or proceed as follows. Contain and collect combustible, absorbent material e.g. sand, earth, vermiculite or consultance in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminatt material may pose the same hazard as the spilt product. Note: semergency contact information and Section 13 for waste disposal	Prevent entry into lages into an ct spillage with non- liatomaceous earth (see Section 13). ed absorbent ee Section 1 for
Small spill	: Stop leak if without risk. Move containers from spill area. Use spectrologic explosion-proof equipment. Dilute with water and mop up if water Alternatively, or if water-insoluble, absorb with an inert dry materi appropriate waste disposal container. Dispose of via a licensed water contractor.	r-soluble. al and place in an waste disposal
Methods and material for con		
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, wand sewers. Inform the relevant authorities if the product has can pollution (sewers, waterways, soil or air).	
For emergency responders	: If specialised clothing is required to deal with the spillage, take no information in Section 8 on suitable and unsuitable materials. Se information in "For non-emergency personnel".	
For non-emergency personnel	: No action shall be taken involving any personal risk or without su Evacuate surrounding areas. Keep unnecessary and unprotected entering. In the case of aerosols being ruptured, care should be rapid escape of the pressurised contents and propellant. If a large containers are ruptured, treat as a bulk material spillage accordin instructions in the clean-up section. Do not touch or walk through Shut off all ignition sources. No flares, smoking or flames in haze appropriate personal protective equipment.	d personnel from taken due to the ge number of ng to the n spilt material.

6. Accidental release measures

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

Control parameters

<u>Australia</u>

Occupational exposure limits

Ingredient name	Exposure limits
n-butane	Safe Work Australia (Australia, 12/2019). TWA: 1900 mg/m ³ 8 hours.
propane	TWA: 800 ppm 8 hours. ACGIH TLV (United States, 1/2022). Oxygen Depletion [Asphyxiant]. Explosive potential.
Isobutane	ACGIH TLV (United States, 1/2022). [Butane] Explosive potential. STEL: 1000 ppm 15 minutes.

New Zealand

Occupational exposure limits

Exposure limits
NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020). WES-TWA: 800 ppm 8 hours. WES-TWA: 1900 mg/m³ 8 hours.
NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020). Oxygen Depletion [Asphyxiant].
ACGIH TLV (United States, 1/2022). [Butane] Explosive potential. STEL: 1000 ppm 15 minutes.

8. Exposure controls/personal protection

disodium tetraborate decahy	drate NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020). WES-TWA: 5 mg/m ³ 8 hours.
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	Ires
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	:	Liquid. [Aerosol.]
Colour	:	Not available.
Odour	:	Not available.
Odour threshold	:	Not available.
рН	:	Not available.
Melting point/freezing point	:	Not available.

Date of issue

9. Physical and chemical properties

Boiling point, initial boiling	: Not available	<u> </u>
point, and boiling range		
Flash point	: Not applicab	
	: Not available	
Evaporation rate	- Hot aranabi	
Flammability	: Not available	Э.
Lower and upper explosion limit/flammability limit	: Not available	Э.
Vapour pressure	: Not available	э.
Relative vapour density	: Not available	e.
Relative density	: Not available	Э.
Solubility(ies)	:	
Not available.		
Partition coefficient: n- octanol/water	: Not applicab	le.
Auto-ignition temperature	: Not available	э.
Decomposition temperature	: Not available	Э.
Heat of combustion	: 13.99 kJ/g	
Viscosity	: Not available	Э.
Particle characteristics		
Median particle size	: Not applicab	le.
Aerosol product		
Type of aerosol	: Spray	

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
isobutane	LC50 Inhalation Vapour	Rat	658000 mg/m ³	4 hours
isopentane	LC50 Inhalation Vapour	Rat	280000 mg/m ³	4 hours
Butane	LC50 Inhalation Vapour	Rat	658000 mg/m ³	4 hours
disodium tetraborate	LD50 Oral	Rat	2660 mg/kg	-
decahydrate				
Conclusion/Summary	Based on available data, t	he classification c	riteria are not met.	ł

Irritation/Corrosion

Not available.

11. Toxicological information

Conclusion/Summary	
Skin	Based on available data, the classification criteria are not met.
Eyes	Based on available data, the classification criteria are not met.
Respiratory	Based on available data, the classification criteria are not met.
<u>Sensitisation</u>	
Not available.	
Conclusion/Summary	
Skin	Based on available data, the classification criteria are not met.
Respiratory	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
Carcinogenicity	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
<u>Teratogenicity</u>	
<u>· · · · · · · · · · · · · · · · · · · </u>	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
Specific target organ toxicity	(single exposure)
Not available.	
Specific target organ toxicity	(repeated exposure)
Not available.	
Aspiration hazard	
Not available.	
	Not available.
of exposure	
Potential acute health effects	
•	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Symptoms related to the physi	cal, chemical and toxicological characteristics
Eye contact	Adverse symptoms may include the following:
	irritation redness
Inhalation	Adverse symptoms may include the following:
	respiratory tract irritation
	coughing
	No specific data.
Ingestion	No specific data.

11. Toxicological information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>

Not available.

Conclusion/Summary	Bas	sed on available data, the classification criteria are not met.
General	: No	known significant effects or critical hazards.
Carcinogenicity	: No	known significant effects or critical hazards.
Germ Cell Mutagenicity	: No	known significant effects or critical hazards.
Teratogenicity	: No	known significant effects or critical hazards.
Developmental effects	: No	known significant effects or critical hazards.
Developmental effects	: No	known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
disodium tetraborate decahydrate	Acute EC50 1645 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Butane	2.89	-	low
propane	1.09	-	low
isobutane	2.8	-	low
isopentane	3	171	low

<u>Mobility in soil</u>

Soil/water partition	
coefficient (Koc)	

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

14. Transport information

	ADG	ADR/RID	IMDG	IATA
UN number	UN1950	UN1950	UN1950	UN1950
UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	Aerosols, flammable
Transport hazard class(es)	2.1	2	2.1	2.1
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Additional information

ADG ADR/RID		Special provisions 63, 190, 277, 327, 344, 381 Limited quantity 1 L Special provisions 190, 327, 625, 344 Tunnel code (D)
IMDG	:	Emergency schedules F-D, S-U Special provisions 63, 190, 277, 327, 344, 381, 959
ΙΑΤΑ	:	Quantity limitation Passenger and Cargo Aircraft: 75 kg. Packaging instructions: 203. Cargo Aircraft Only: 150 kg. Packaging instructions: 203. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y203. Special provisions A145, A167, A802
Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

15. Regulatory information

Standard for the Uniform Sch	eduling of Medicines and Poisons
Not scheduled	
Australian Inventory of Industrial Chemicals (AIIC)	All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC)	All components are listed or exempted.
HSNO Group Standard	Aerosols (Flammable)

Date of issue

15. Regulatory information

HSNO Approval Number	HSR002515
Approved Handler Requirement	Not applicable.
Tracking Requirement	Not applicable.

16. Other information

Key to abbreviations	 ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods GHS = Globally Harmonized System of Classification and Labelling of Chemicals IBC = Intermediate Bulk Container SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations SWA = Safe Work Australia HSNO = Hazardous Substances and New Organisms Act 1996 : 01/03/2023
revision	
Version	: 1.0L (Version for updated GHS Revision 7 PSDS Template)

Procedure used to derive the classification

Classification	Justification
AEROSOLS - Category 1	On basis of test data

References

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Please read all labels carefully before using product.